

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

19, 67

RECEIVED
FEB 11 1935
The Cole Nursery Co.

SURPLUS LIST

FEBRUARY, 11TH, 1935

The Cole Nursery Co. Painesville, Ohio

"Everything that is good and hardy"

(PARTIAL LIST ONLY)

SEE OUR TRADE LIST FOR VARIETIES
NOT LISTED IN THIS BULLETIN

Write for Special Quantity Prices.

SEE BACK PAGE FOR LINING-OUT STOCK

APPLE—Standard

Bearing Age Specimens

4 year old individual specimens, 1-1½" caliper, 6-8 ft., \$1.00 each;
\$9.00 per 10; \$75.00 per 100.

Varieties preceded by a (*) can be supplied in an extra heavy
grade 1½-2" caliper, 6-8 ft. at \$1.50 each; \$13.50 per 10; \$125.00 per
100.

Variety

| | |
|---------------|-----------------------|
| ASTRACHAN | *HYSLOP CRAB |
| BALDWIN | OHIO NONPARIEL |
| *BANANA | PARADISE SWEET |
| *CORTLAND | *PUMPKIN SWEET |
| *FAMEUSE | RHODE ISLAND GREENING |
| GOLDEN SWEET | *TOLMAN SWEET |
| GRIMES GOLDEN | WEALTHY |

PEAR—Standard

| | Per 10 | Per 100 | Per 1000 |
|--|------------|------------|-------------|
| 3-4 ft., 7/16-9/16 in., 1 year Cutback | \$3.00 | \$25.00 | \$200.00 |
| 2-3 ft., 5/16-7/16 in., 1 year Cutback | 2.50 | 20.00 | 150.00 |
| 1-2 ft., Whips | 2.00 | 15.00 | 110.00 |
| Bearing Age, 6-8 ft., 1-1½ in., 4 year specimens | 7.50 | 60.00 | 500.00 |
| | 7/16-9/16" | 5/16-7/16" | Whips 1-1½" |
| BARTLETT | 500 | 1200 | 840 500 |
| CLAPP'S FAVORITE | | 50 | 25 100 |
| FLEMISH BEAUTY | 50 | 30 | -- 30 |
| SECKEL | 100 | 150 | 115 20 |
| WORDEN SECKEL | 150 | 240 | 150 -- |

Other varieties in small quantities

CHERRY—Sweet

| | Per 10 | Per 100 | Per 1000 |
|-----------------------------------|--------|----------|----------|
| 4-6 ft., 11/16 in. and up, 2 year | \$5.00 | \$45.00 | \$400.00 |
| 600 BLACK TARTARIAN | 100 | NAPOLEON | |
| 100 GOVERNOR WOOD | 100 | SCHMIDTS | |

CHERRY—Sour

Extra smooth, well balanced, 2 and 3 year old trees.

| | Per 10 | Per 100 | Per 1000 | | |
|-----------------------------|--------|---------|----------|-------|-------|
| 5-7 ft., 1-1½ in. Specimens | \$7.50 | \$60.00 | \$500.00 | | |
| 4-6 ft., 11/16 in. and up | 3.50 | 28.00 | 220.00 | | |
| 3½-4 ft., 9/16-11/16 in. | 3.00 | 22.50 | 170.00 | | |
| 2½-3½ ft., 7/16-9/16 in. | 2.50 | 17.50 | 130.00 | | |
| 2-3 ft., 5/16-7/16 in. | 2.00 | 13.00 | 90.00 | | |
| | 1-1½" | 11/16" | 9/16" | 7/16" | 5/16" |
| DYEHOUSE | 100 | 200 | 100 | 47 | 20 |
| MONTMORENCY | 100 | 2000 | 1400 | 1000 | 238 |
| MORELLO | 100 | 1000 | 150 | 90 | 34 |
| RICHMOND | 100 | 1000 | 600 | 200 | 28 |

PEACHES

| | Per 10 | Per 100 | Per 1000 |
|------------------------------|--------|---------|----------|
| 5-6 ft., ¾ in. up, Specimens | \$4.00 | \$30.00 | \$250.00 |
| 3½-4½ ft., 9/16-¾ in. | 2.70 | 22.00 | 200.00 |
| 1½-2½ ft., Whips | 1.50 | 12.00 | 90.00 |

Varieties (*) 50% additional to above prices.

| | 3/4" | 9/16-3/4" | Whips |
|--------------------|------|---------------|-------|
| ADMIRAL DEWEY | 50 | --- | --- |
| BELLE OF GEORGIA | --- | 500 | 117 |
| *BIG RED | --- | 50 | --- |
| *BUTTERCUP | --- | 40 | --- |
| CARMEN | --- | 200 | 72 |
| CHAMPION | 300 | 700 | 153 |
| CRAWFORD'S EARLY | 100 | 200 | 53 |
| CRAWFORD'S LATE | 100 | 150 | 50 |
| *CUMBERLAND | --- | 50 | --- |
| EARLY ELBERTA | 200 | 1000 | 70 |
| *ECLIPSE | --- | 50 | --- |
| HALE | 400 | 2000 | 355 |
| *HOPE FARM | --- | 50 | --- |
| LEMON CLING | --- | --- | 13 |
| LEMON FREE | 100 | 100 | --- |
| *MARIGOLD | --- | 50 | --- |
| *MIKADO | 50 | 150 | 24 |
| NEW PROLIFIC | 28 | --- | --- |
| *RADIANCE | --- | 50 | --- |
| ROCHESTER | 50 | --- | 100 |
| SALBERTA | 57 | 400 | 80 |
| SHIPPER'S LATE RED | 70 | --- | --- |
| SOUTH HAVEN | 200 | (Add 5c each) | --- |
| *VALIANT | 10 | 50 | --- |
| WILLIAM'S CLING | 60 | 50 | --- |
| WILMA | 200 | 1000 | 47 |

NECTARINES

| | Per 10 | Per 100 | Per 1000 |
|----------------------------------|--------|---------|----------|
| 3½-4½ ft., 9/16-¾ in. | \$3.50 | \$30.00 | \$250.00 |
| 100 BOSTON | | | |
| 50 GOLD MINE. New (Add 10c each) | | | |
| 100 RED ROMAN | | | |

SHADE AND ORNAMENTAL TREES

Items followed by "S" are in storage.

| Quantity | Item | Size |
|----------|------------------|-----------|
| 500 | ACER—dasycarpum | 1½ in. |
| 500 | dasycarpum | 1¾ in. |
| 1500 | dasycarpum | 2 in. |
| 1000 | dasycarpum | 2½ in. |
| 1000 | dasycarpum | 3 in. |
| 300 | dasycarpum | 4 in. |
| 600 | dasycarpum wieri | 1¾ in. |
| 1000 | dasycarpum wieri | 2 in. |
| 300 | dasycarpum wieri | 2½ in. |
| 100 | dasycarpum wieri | 3 in. |
| 200 | ginnale | 5 ft. |
| 350 | ginnale | 6 ft. |
| 150 | ginnale | 8 ft. |
| 150 | negundo | 8-10 ft. |
| 100 | negundo | 1¼-1½ in. |
| 200 | negundo | 1½-1¾ in. |
| 50 | negundo | 1¾ in. |
| 50 | palmatum | 3 ft. |
| 30 | palmatum | 4 ft. |
| 2500 | platanoides | 1¼ in. |

| Quantity | Item | Size |
|-----------------------|--|-------------------|
| ACER—Continued | | |
| 2000 | platanoides ----- | 1 1/2 - 1 3/4 in. |
| 1000 | platanoides ----- | 1 3/4 - 2 in. |
| 2000 | platanoides ----- | 2 in. |
| 500 | platanoides ----- | 2 1/2 in. |
| 300 | platanoides ----- | 3 in. |
| 100 | platanoides ----- | 4 in. |
| 400 | platanoides schwedleri ----- | 1 1/4 in. |
| 200 | platanoides schwedleri ----- | 1 1/2 in. |
| 150 | platanoides schwedleri ----- | 1 3/4 in. |
| 100 | platanoides schwedleri ----- | 2 in. |
| 75 | tataricum ----- | 6 ft. |
| 150 | tataricum ----- | 8 ft. |
| 50 | tataricum ----- | 10 ft. |
| 1000 | saccharum ----- | 6-8 ft. |
| 500 | saccharum ----- | 8-10 ft. |
| 1500 | saccharum ----- | 1 1/4 in. |
| 300 | saccharum ----- | 2 in. |
| 400 | AMYGDALUS, persica rubroplena—S ----- | 3-4 ft. |
| 400 | persica rubroplena—S ----- | 4-5 ft. |
| 70 | persica alboplana—S ----- | 3-4 ft. |
| 150 | persica alboplana—S ----- | 4-5 ft. |
| 300 | ARALIA, spinosa ----- | 5 ft. |
| 300 | spinosa ----- | 6 ft. |
| 1000 | CATALPA, bungei ----- | 2 yr. |
| 1000 | bungei ----- | 3 yr. |
| 400 | speciosa ----- | 2 in. |
| 700 | speciosa ----- | 2 1/2 in. |
| 1000 | speciosa ----- | 3 in. |
| 200 | speciosa ----- | 4 in. |
| 100 | CLADRASTUS, lutea ----- | 5 ft. |
| 150 | lutea ----- | 4 ft. |
| 100 | lutea ----- | 3 ft. |
| 500 | FRAXINUS, americana ----- | 1 1/4 in. |
| 400 | americana ----- | 1 1/2 in. |
| 400 | americana ----- | 1 3/4 in. |
| 500 | MAGNOLIA, glauca ----- | 2-3 ft. |
| 500 | glauca ----- | 3 ft. |
| 75 | glauca ----- | 4 ft. |
| 100 | MALUS, atrosanguinea ----- | 4 ft. |
| 150 | atrosanguinea ----- | 5 ft. |
| 50 | arnoldiana ----- | 4 ft. |
| 50 | arnoldiana ----- | 5 ft. |
| 150 | eleyi ----- | 4-5 ft. |
| 300 | eleyi ----- | 5 ft. |
| 800 | eleyi ----- | 6 ft. |
| 200 | eleyi ----- | 7 ft. |
| 400 | floribunda—S ----- | 4 ft. |
| 250 | floribunda ----- | 5 ft. |
| 100 | floribunda ----- | 6 ft. |
| 500 | ioensis plena—S ----- | 3 ft. |
| 250 | niedzwetzkyana ----- | 4-5 ft. |
| 400 | niedzwetzkyana ----- | 5-6 ft. |
| 250 | niedzwetzkyana ----- | 6-8 ft. |
| 50 | niedzwetzkyana ----- | 8-10 ft. |
| 25 | niedzwetzkyana ----- | 10-12 ft. |
| 250 | prunifolia rinki ----- | 5 ft. |
| 75 | prunifolia rinki ----- | 6 ft. |
| 500 | purpurea ----- | 5-6 ft. |
| 500 | purpurea ----- | 6-8 ft. |
| 75 | purpurea ----- | 8-10 ft. |
| 50 | purpurea ----- | 10-12 ft. |
| 100 | sargenti ----- | 3-4 ft. |
| 100 | sargenti ----- | 4-5 ft. |
| 100 | sargenti ----- | 5-6 ft. |
| 100 | scheideckeri ----- | 4-5 ft. |
| 125 | scheideckeri ----- | 5 ft. |
| 40 | scheideckeri ----- | 10-12 ft. spec. |
| 100 | seiboldi ----- | 4-5 ft. |
| 100 | seiboldi ----- | 5 ft. |
| 200 | seiboldi ----- | 6 ft. |
| 50 | seiboldi ----- | 8 ft. |
| 35 | seiboldi ----- | 10-14 ft. spec. |
| 40 | Silver Veined—S ----- | 4-5 ft. |
| 100 | spectabilis ----- | 4-5 ft. |
| 125 | spectabilis ----- | 5 ft. |
| 100 | spectabilis ----- | 6 ft. |
| 100 | sublobata ----- | 5-6 ft. |
| 150 | sublobata ----- | 6 ft. |
| 75 | theifera ----- | 5 ft. |
| 40 | theifera ----- | 6 ft. |
| 60 | toringoides—S ----- | 3-4 ft. |

| Quantity | Item | Size |
|----------|-------------------------------------|----------|
| 2500 | MORUS, alba ----- | 6-10 ft. |
| 400 | alba pendula ----- | 3 yr. |
| 700 | POPULUS, alba bolleana ----- | 1½ in. |
| 400 | albo bolleana ----- | 1¾ in. |
| 600 | alba bolleana ----- | 2 in. |
| 200 | alba bolleana ----- | 2½ in. |
| 25 | alba bolleana ----- | 5 in. |
| 300 | eugenie ----- | 8-10 ft. |
| 150 | eugenie ----- | 1¾ in. |
| 500 | eugenie ----- | 2 in. |
| 200 | eugenie ----- | 2½ in. |
| 60 | eugenie ----- | 3 in. |
| 500 | simoni ----- | 2 in. |
| 100 | simoni ----- | 2½ in. |
| 1000 | PRUNUS, americana ----- | 5-6 ft. |
| 700 | americana ----- | 6-8 ft. |
| 100 | cerasus rhexi—S ----- | 3-4 ft. |
| 400 | cerasus rhexi—S ----- | 4-5 ft. |
| 50 | Fugenzo ----- | 5 ft. |
| 75 | Fugenzo ----- | 6 ft. |
| 1500 | Myrobolan ----- | 4 ft. |
| 2500 | Myrobolan ----- | 5 ft. |
| 1500 | Myrobolan ----- | 6 ft. |
| 200 | sekiyama ----- | 3-4 ft. |
| 50 | sekiyama ----- | 4 ft. |
| 50 | sekiyama ----- | 5 ft. |
| 300 | shirotae—S ----- | 4 ft. |
| 400 | shirotae ----- | 5 ft. |
| 150 | shirotae ----- | 6 ft. |
| 40 | shirotae ----- | 8 ft. |
| 20 | shirotae ----- | 10 ft. |
| 200 | sieboldi (Naden)—S ----- | 3-4 ft. |
| 400 | sieboldi (Naden)—S ----- | 4-5 ft. |
| 100 | seiboldi (Naden)—S ----- | 5-6 ft. |
| 250 | ROBINIA, pseudo-acacia ----- | 6 ft. |
| 100 | pseudo-acacia ----- | 7 ft. |
| 100 | pseudo-acacia ----- | 8 ft. |
| 300 | SALIX, discolor ----- | 6 ft. |
| 20 | TILIA, vulgaris ----- | 3 in. |
| 20 | vulgaris ----- | 4 in. |
| 1300 | ULMUS, americana ----- | 1½ in. |
| 1000 | americana ----- | 1¾ in. |
| 1000 | americana ----- | 2 in. |
| 400 | americana ----- | 2½ in. |
| 200 | americana ----- | 3 in. |
| 150 | americana ----- | 4 in. |
| 1600 | americana moline ----- | 1¼ in. |
| 900 | americana moline ----- | 1½ in. |
| 200 | americana moline ----- | 1¾ in. |
| 150 | americana moline ----- | 2 in. |
| 100 | americana moline ----- | 2½ in. |
| 50 | americana moline ----- | 3 in. |
| 300 | pumila ----- | 1¾ in. |
| 400 | pumila ----- | 2 in. |
| 100 | pumila ----- | 2½ in. |
| 25 | pumila ----- | 3 in. |

DECIDUOUS SHRUBS

| Quantity | Item | Size |
|----------|---|----------|
| 1000 | ACANTHOPANAX, pentaphyllum ----- | 3-4 ft. |
| 500 | pentaphylla ----- | 4-5 ft. |
| 250 | pentaphylla ----- | 5-6 ft. |
| 1000 | AMORPHA, fruticosa ----- | 4-5 ft. |
| 200 | fruticosa ----- | 5-6 ft. |
| 350 | ARONIA, atropurpurea ----- | 3-4 ft. |
| 400 | melanocarpa ----- | 1½-2 ft. |
| 800 | melanocarpa ----- | 2-3 ft. |

BERBERIS thun. p. erecta (Truehedge Columnberry)

U. S. Plant Patent No. 110—The Cole Nursery Co., 1934

Propagation Rights Reserved

| | | Per 10 | Per 100 | Per 1000 |
|------|-----------------|--------|---------|----------|
| 4000 | 15-18 in. ----- | \$3.00 | \$24.00 | \$220.00 |
| 5000 | 1½-2 ft. ----- | 3.50 | 30.00 | 275.00 |
| 1000 | 2-2½ ft. ----- | 4.50 | 40.00 | 350.00 |

Today's Greatest Plant Sensation

We have sold over 150,000 since introduction last July.

| Quantity | Item | Size |
|----------|------------------------------------|-----------|
| 2000 | BERBERIS, thunbergi—S | 12-15 in. |
| 2000 | thunbergi—S | 15-18 in. |
| 1000 | thunbergi—S | 1½-2 ft. |
| 1000 | thunbergi—S | 2-2½ ft. |
| 1000 | BERBERIS, thunbergi atropurpurea—S | 1½-2 ft. |
| 2000 | thunbergi atropurpurea—S | 2-2½ ft. |
| 1000 | thunbergi atropurpurea—S | 2½-3 ft. |
| 300 | CALLICARPA, purpurea | 2-3 ft. |
| 300 | purpurea | 3-4 ft. |
| 500 | CARAGANA, arborescens | 3-4 ft. |
| 100 | arborescens | 4-5 ft. |
| 300 | CERCIS, canadensis | 3-4 ft. |
| 300 | canadensis | 4-5 ft. |
| 300 | canadensis | 5-6 ft. |
| 200 | canadensis | 6-8 ft. |
| 500 | CHIONANTHUS, virginica | 3-4 ft. |
| 200 | virginica | 4-5 ft. |
| 150 | virginica | 5-6 ft. |
| 300 | CLETHRA, alnifolia—S | 12-18 in. |
| 500 | alnifolia | 1½-2 ft. |
| 200 | alnifolia | 2-3 ft. |
| 1000 | CORNUS, alba elegantissima | 2-3 ft. |
| 500 | alba elegantissima | 3-4 ft. |
| 150 | CORNUS, mascula | 4-5 ft. |
| 150 | mascula | 5-6 ft. |
| 200 | mascula | 6-8 ft. |
| 500 | CORNUS, alba spaethi | 2-3 ft. |
| 300 | alba spaethi | 3-4 ft. |
| 200 | CORNUS, stolonifera | 4-5 ft. |
| 100 | stolonifera | 5-6 ft. |
| 150 | stolonifera | 6-8 ft. |
| 100 | CORYLUS, americana | 4-5 ft. |
| 200 | americana | 5-6 ft. |
| 50 | americana | 6-8 ft. |
| 500 | avellana | 4-5 ft. |
| 300 | avellana | 6-8 ft. |
| 300 | avellana | 8-10 ft. |
| 50 | avellana | 10-12 ft. |
| 500 | COTONEASTER, acutifolia | 4-5 ft. |
| 500 | acutifolia | 5-6 ft. |
| 1000 | COTONEASTER, dielsiana | 2-3 ft. |
| 1000 | dielsiana | 3-4 ft. |
| 200 | lucida | 2-3 ft. |
| 400 | lucida | 3-4 ft. |
| 800 | nitens | 2-3 ft. |
| 300 | nitens | 3-4 ft. |
| 150 | CRATAEGUS, mollis | 5-6 ft. |
| 350 | mollis | 6-8 ft. |
| 1000 | CYDONIA, japonica—S | 12-18 in. |
| 250 | japonica—S | 1½-2 ft. |
| 500 | DEUTZIA, gracilis rosea—S | 1½-2 ft. |
| 250 | gracilis rosea—S | 2-3 ft. |
| 200 | gracilis rosea—S | 3-4 ft. |
| 500 | lemoinei | 1½-2 ft. |
| 1500 | lemoinei | 2-3 ft. |
| 500 | scabra candidissima | 2-3 ft. |
| 1500 | scabra candidissima | 3-4 ft. |
| 500 | magnifica—S | 3-4 ft. |
| 200 | DIERVILLA, sessilifolia—S | 2-3 ft. |
| 800 | EUONYMUS, alatus | 3-4 ft. |
| 300 | alatus | 4-5 ft. |
| 100 | alatus compacta | 3 ft. |
| 200 | atropurpurea | 3-4 ft. |
| 200 | atropurpurea | 4-5 ft. |
| 200 | europaeus | 5-6 ft. |
| 400 | europaeus | 6-8 ft. |
| 75 | europaeus | 8-10 ft. |
| 500 | yedoensis | 4-5 ft. |
| 200 | yedoensis | 5-6 ft. |
| 1000 | FORSYTHIA, suspensa | 2-3 ft. |
| 500 | suspensa | 3-4 ft. |
| 200 | suspensa fortunei | 6-8 ft. |
| 1000 | intermedia | 2-3 ft. |
| 800 | intermedia | 3-4 ft. |
| 800 | intermedia | 4-5 ft. |
| 500 | intermedia spectabilis—S | 1½-2 ft. |
| 600 | intermedia spectabilis—S | 2-3 ft. |
| 3000 | intermedia spectabilis—S | 3-4 ft. |
| 2500 | intermedia spectabilis—S | 4-5 ft. |
| 2000 | intermedia spectabilis—S | 5-6 ft. |
| 300 | intermedia spectabilis—S | 6-8 ft. |

| Quantity | Item | Size |
|----------|---|-----------|
| 200 | HAMAMELIS , virginiana | 5-6 ft. |
| 200 | virginiana | 6-8 ft. |
| 100 | HIBISCUS , syriacus Ardens | 4-5 ft. |
| 30 | syriacus Ardens | 6-8 ft. |
| 20 | syriacus Ardens | 8-10 ft. |
| 400 | syriacus Banner | 3-4 ft. |
| 150 | syriacus Banner | 4-5 ft. |
| 50 | syriacus Banner | 5-6 ft. |
| 20 | syriacus Boule de Feu | 6-8 ft. |
| 40 | syriacus Boule de Feu | 8-10 ft. |
| 300 | syriacus Double Rose | 3-4 ft. |
| 200 | syriacus Double Rose | 4-5 ft. |
| 100 | syriacus Double White | 4-5 ft. |
| 100 | syriacus Double White | 6-8 ft. |
| 75 | syriacus Double White | 8-10 ft. |
| 100 | syriacus Duc d'Brabant | 6-8 ft. |
| 50 | syriacus Dus d'Brabant | 8-10 ft. |
| 50 | syriacus Jeanne d'Arc | 4-5 ft. |
| 75 | syriacus Jeanne d'Arc | 5-6 ft. |
| 125 | syriacus Jeanne d'Arc | 6-8 ft. |
| 75 | syriacus Jeanne d'Arc | 8-10 ft. |
| 250 | syriacus Totus Albus | 3-4 ft. |
| 150 | syriacus Totus Albus | 4-5 ft. |
| 40 | HIPPOPHAE , rhamnoides | 5-6 ft. |
| 1000 | HYDRANGEA , paniculata grandiflora—S | 12-18 in. |
| 1800 | paniculata grandiflora—S | 1½-2 ft. |
| 2000 | paniculata grandiflora—S | 2-3 ft. |
| 300 | HYPERICUM , arnoldianum | 2 yr. |
| 300 | densiflorum | 2-3 ft. |
| 800 | patulum henryii | 3 yr. |
| 250 | kalmianum | 2 yr. |
| 300 | moserianum | 2 yr. |
| 500 | lobocarpum | 2 yr. |
| 3500 | LIGUSTRUM , ibolium—S | 2-3 ft. |
| 150 | nanum compactum | 1½-2 ft. |
| 50 | nanum compactum—S | 2-2½ ft. |
| 2000 | vulgaris | 1½-2 ft. |
| 1000 | vulgaris | 2-3 ft. |
| 1000 | LONICERA , bella albida—S | 3-4 ft. |
| 200 | bella albida—S | 4-5 ft. |
| 400 | bella albida | 6-7 ft. |
| 800 | bella rosea—S | 3-4 ft. |
| 300 | bella rosea—S | 4-5 ft. |
| 250 | korolkowi floribunda | 4-5 ft. |
| 500 | morrowi—S | 2-3 ft. |
| 600 | morrowi—S | 3-4 ft. |
| 300 | tatarica alba | 4-5 ft. |
| 1000 | tatarica alba | 5-6 ft. |
| 100 | tatarica alba | 6-8 ft. |
| 100 | PHILADELPHUS , Bouquet Blanc | 4-5 ft. |
| 300 | coronarius—S | 3-4 ft. |
| 600 | coronarius—S | 4-5 ft. |
| 150 | coronarius | 5-6 ft. |
| 50 | Gerbe de Neige | 1½-2 ft. |
| 25 | Gerbe de Neige | 2-3 ft. |
| 200 | gordonianus | 5-6 ft. |
| 150 | gordonianus | 6-8 ft. |
| 250 | grandiflora | 6-8 ft. |
| 800 | lemoinei | 2-3 ft. |
| 125 | lemoinei | 3-4 ft. |
| 50 | Norma | 4-5 ft. |
| 100 | Norma | 5-6 ft. |
| 100 | Norma | 6-8 ft. |
| 1000 | Virginal | 2-3 ft. |
| 2500 | Virginal | 3-4 ft. |
| 750 | Virginal | 4-5 ft. |
| 200 | Virginal | 5-6 ft. |
| 100 | PHOTINIA , villosa | 6-8 ft. |
| 100 | PHYSOCARPUS , opulifolia—S | 3-4 ft. |
| 200 | opulifolia aurea | 4-5 ft. |
| 250 | opulifolia aurea | 5-6 ft. |
| 400 | opulifolia aurea | 6-8 ft. |
| 125 | opulifolia aurea | 8-10 ft. |
| 200 | PRUNUS , americana Newport | 5-6 ft. |
| 100 | americana Newport | 6-8 ft. |
| 50 | americana Newport | 8-10 ft. |
| 150 | cistina | 5-6 ft. |
| 200 | Othello | 4-5 ft. |
| 350 | Othello | 5-6 ft. |
| 100 | Othello | 6-7 ft. |
| 200 | cerasifera pissardi | 8-10 ft. |
| 100 | cerasifera pissardi | 10-12 ft. |

| Quantity | Item | Size |
|----------|---|----------------------|
| | PRUNUS—Continued | |
| 200 | tomentosa ----- | 4-5 ft. |
| 200 | tomentosa ----- | 5-6 ft. |
| 100 | triloba ----- | 3-4 ft. |
| 100 | triloba ----- | 4-5 ft. |
| 500 | PYRACANTHA, coccinea lalandi ----- | 15-18 in. |
| 500 | coccinea lalandi ----- | 1½-2 ft. |
| 150 | RHAMNUS, catharticus ----- | 4-5 ft. |
| 150 | catharticus ----- | 5-6 ft. |
| 200 | frangula ----- | 4-5 ft. |
| 600 | frangula ----- | 5-6 ft. |
| 100 | frangula ----- | 6-7 ft. |
| 400 | RHODOTYPOS, kerrioides ----- | 2-3 ft. |
| 250 | kerrioides ----- | 3-4 ft. |
| 75 | RHUS, cotonoides ----- | 4-5 ft. |
| 75 | cotonoides ----- | 5-6 ft. |
| 75 | cotonoides ----- | 6-8 ft. |
| 15 | cotonoides ----- | 8-10 ft. |
| 30 | glabra ----- | 8-12 ft. |
| 100 | glabra ----- | 12-14 ft. |
| 25 | typhina ----- | 6-8 ft. |
| 75 | typhina ----- | 8-10 ft. |
| 500 | typhina laciniata ----- | 3-4 ft. |
| 300 | typhina laciniata ----- | 4-5 ft. |
| 50 | typhina laciniata ----- | 5-6 ft. |
| 150 | RIBES, odoratum—S ----- | 3-4 ft. |
| 50 | odoratum—S ----- | 4-5 ft. |
| 200 | ROBINIA, hispida ----- | 3-4 ft. tree |
| 150 | hispida ----- | 4-5 ft. tree |
| 50 | hispida ----- | 5-6 ft. tree |
| 75 | viscosa ----- | 3-4 ft. |
| 50 | viscosa ----- | 4-5 ft. |
| 400 | RUBUS, odoratus ----- | 2-3 ft. |
| 150 | odoratus ----- | 3-4 ft. |
| 800 | SAMBUCUS, acutiloba ----- | 5-6 ft. |
| 150 | acutiloba ----- | 6-8 ft. |
| 200 | canadensis ----- | 4-5 ft. |
| 500 | canadensis ----- | 5-6 ft. |
| 200 | canadensis ----- | 6-8 ft. |
| 800 | SPIREA, arguta ----- | 3-4 ft. |
| 800 | arguta ----- | 4-5 ft. |
| 75 | arguta ----- | 5-6 ft. |
| 500 | billardi ----- | 2-3 ft. |
| 200 | billardi ----- | 3-4 ft. |
| 250 | billardi ----- | 4-5 ft. |
| 600 | douglasi ----- | 2-3 ft. |
| 150 | douglasi ----- | 3-4 ft. |
| 1000 | froebeli ----- | 1½-2 ft. |
| 200 | japonica ovalifolia ----- | 15-18 in. |
| 1000 | japonica ovalifolia ----- | 1½-2 ft. |
| 200 | japonica ovalifolia ----- | 2-3 ft. |
| 300 | multiflora ----- | 3-4 ft. |
| 300 | multiflora ----- | 4-5 ft. |
| 500 | multiflora ----- | 5-6 ft. |
| 400 | prunifolia—S ----- | 2-3 ft. |
| 800 | prunifolia ----- | 3-4 ft. |
| 100 | prunifolia ----- | 4-5 ft. |
| 275 | reevesiana fl. pl. ----- | 3-4 ft. |
| 150 | salicifolia ----- | 4-5 ft. |
| 1000 | thunbergi ----- | 1½-2 ft. |
| 800 | thunbergi ----- | 2-3 ft. |
| 200 | tomentosa—S ----- | 2-3 ft. |
| 600 | tomentosa—S ----- | 3-4 ft. |
| 350 | tricocarpa—S ----- | 1½-2 ft. |
| 600 | tricocarpa—S ----- | 2-3 ft. |
| 300 | tricocarpa—S ----- | 3-4 ft. |
| 125 | tricocarpa ----- | 4-5 ft. |
| 4000 | vanhouttei ----- | 3-4 ft. |
| 6000 | vanhouttei ----- | 4-5 ft. |
| 2000 | vanhouttei ----- | 5-6 ft. |
| 600 | vanhouttei ----- | 6-8 ft., hvy. Clumps |
| 500 | STEPHANANDRA, flexuosa ----- | 2-3 ft. |
| 300 | flexuosa ----- | 3-4 ft. |
| 500 | SYMPHORICARPOS, chenaulti ----- | 2-3 ft. |
| 600 | heyeri ----- | 3-4 ft. |
| 500 | heyeri ----- | 4-5 ft. |
| 1200 | molle ----- | 3-4 ft. |
| 1600 | molle ----- | 4-5 ft. |
| 1000 | racemosus ----- | 2-3 ft. |
| 3000 | racemosus ----- | 3-4 ft. |
| 1200 | racemosus ----- | 4-5 ft. |
| 500 | vulgaris ----- | 2-3 ft. |

| Quantity | Item | Size |
|----------|--------------------------------|-----------|
| 250 | SYRINGA , chinensis | 2-3 ft. |
| 500 | chinensis | 3-4 ft. |
| 150 | chinensis | 4-5 ft. |
| 150 | chinensis | 5-6 ft. |
| 200 | dilatata | 1½-2 ft. |
| 50 | japonica | 4-5 ft. |
| 100 | japonica | 5-6 ft. |
| 100 | josikea | 4-5 ft. |
| 300 | palabiniiana | 1½-2 ft. |
| 500 | persica | 2-3 ft. |
| 200 | persica | 3-4 ft. |
| 200 | persica | 4-5 ft. |
| 500 | villosa | 2-3 ft. |
| 300 | villosa | 3-4 ft. |
| 250 | villosa | 4-5 ft. |
| 75 | villosa | 5-6 ft. |
| 500 | vulgaris | 3-4 ft. |
| 1000 | vulgaris | 4-5 ft. |
| 500 | vulgaris | 5-6 ft. |
| 100 | vulgaris | 6-8 ft. |
| 68 | vulgaris hyb. M. C. Perier—S | 1½-2 ft. |
| 50 | vulgaris hyb. M. C. Perier—S | 2-3 ft. |
| 50 | vulgaris hyb. Mme. Lemoine—S | 2-3 ft. |
| 80 | vulgaris hyb. Mme. Lemoine—S | 3-4 ft. |
| 40 | vulgaris hyb. Marie Le Graye—S | 1½-2 ft. |
| 72 | vulgaris hyb. Marie Le Graye—S | 2-3 ft. |
| 1000 | TAMARIX , africana | 3-4 ft. |
| 200 | africana | 4-5 ft. |
| 300 | amurensis | 3-4 ft. |
| 300 | amurensis | 4-5 ft. |
| 400 | amurensis | 5-6 ft. |
| 250 | amurensis | 6-8 ft. |
| 100 | odessana | 3-4 ft. |
| 150 | odessana | 4-5 ft. |
| 150 | pentandra | 4-5 ft. |
| 100 | tetandra | 3-4 ft. |
| 100 | tetandra | 4-5 ft. |
| 200 | VIBURNUM , carlesi | 1½-2 ft. |
| 400 | carlesi | 2-3 ft. |
| 100 | carlesi | 3-4 ft. |
| 600 | dentatum | 2-3 ft. |
| 300 | dentatum | 3-4 ft. |
| 200 | dentatum | 4-5 ft. |
| 100 | dentatum | 5-6 ft. |
| 250 | lantana | 2-3 ft. |
| 200 | lantana | 3-4 ft. |
| 50 | lentago | 6-8 ft. |
| 25 | lentago | 8-10 ft. |
| 300 | molle | 3-4 ft. |
| 100 | molle | 4-5 ft. |
| 100 | opulus | 4-5 ft. |
| 150 | opulus | 5-6 ft. |
| 200 | opulus | 6-8 ft. |
| 40 | opulus | 8-10 ft. |
| 300 | opulus nanum | 9-12 in. |
| 300 | opulus nanum | 12-15 in. |
| 300 | opulus nanum | 15-18 in. |
| 200 | opulus nanum | 1½-2 ft. |
| 500 | opulus sterile | 2-3 ft. |
| 1500 | opulus sterile | 3-4 ft. |
| 800 | opulus sterile | 4-5 ft. |
| 700 | opulus sterile | 5-6 ft. |
| 125 | opulus sterile | 6-8 ft. |
| 100 | pubescens | 3-4 ft. |
| 200 | pubescens | 4-5 ft. |
| 300 | pubescens | 5-6 ft. |
| 200 | wrighti | 1½-2 ft. |
| 50 | wrighti | 2-3 ft. |
| 300 | VITEX , agnus-castus | 3 yr. |
| 400 | WEIGELA , floribunda | 1½-2 ft. |
| 400 | floribunda | 2-3 ft. |

EVERGREENS

| Quantity | Item | Size |
|----------|--------------------------------------|-----------------|
| 200 | ABIES , concolor | 3-4 ft. |
| 200 | JUNIPERUS , chinensis mascula | 3-4 ft. |
| 150 | chinensis pfitzeriana | 3-4 ft. spread |
| 150 | chinensis pfitzeriana | 3-4 ft. upright |
| 150 | chinensis pfitzeriana | 4-5 ft. upright |
| 500 | communis suecica | 2-2½ ft. |
| 200 | scopulorum | 4-5 ft. |
| 150 | scopulorum | 5-6 ft. |

| Quantity | Item | Size |
|----------------------------|------------------------------|---------------|
| JUNIPERUS—Continued | | |
| 100 | virginiana | 4-5 ft. |
| 100 | virginiana | 5-6 ft. |
| 500 | PICEA, canadensis | 2-3 ft. |
| 1000 | canadensis | 3-4 ft. |
| 300 | canadensis | 4-5 ft. |
| 100 | canadensis | 5-6 ft. |
| 1000 | excelsa | 2-3 ft. |
| 2500 | excelsa | 3-4 ft. |
| 1800 | excelsa | 4-5 ft. |
| 1000 | pungens | 3-4 ft. |
| 150 | pungens | 4-5 ft. |
| 300 | pungens glauca | 2-3 ft. |
| 400 | pungens glauca | 3-4 ft. |
| 200 | pungens glauca | 4-5 ft. |
| 100 | pungens glauca | 5-6 ft. |
| 200 | PINUS, densiflora | 3-4 ft. |
| 300 | densiflora | 4-5 ft. |
| 100 | densiflora | 5-6 ft. |
| 250 | densiflora | 6-8 ft. |
| 100 | montana | 2½-3 ft. |
| 100 | montana | 3-4 ft. |
| 75 | montana | 4-5 ft. |
| 1500 | montana mughus | 12-18 in. |
| 2000 | montana mughus | 1½-2 ft. |
| 500 | montana mughus | 2-2½ ft. |
| 2000 | nigra | 2-3 ft. |
| 2000 | nigra | 3-4 ft. |
| 150 | sinensis | 5-6 ft. |
| 150 | sinensis | 6-8 ft. |
| 100 | sinensis | 8-10 ft. |
| 900 | PSEUDOTSUGA, douglasi | 2-3 ft. |
| 300 | douglasi | 3-4 ft. |
| 100 | douglasi | 4-5 ft. |
| 50 | RETINOSPORA, pisifera | 5-6 ft. |
| 150 | pisifera | 6-8 ft. |
| 100 | pisifera aurea | 5-6 ft. |
| 250 | pisifera aurea | 6-8 ft. |
| 125 | pisifera aurea | 8-10 ft. |
| 100 | plumosa | 6-8 ft. |
| 40 | plumosa | 3x3 ft. spec. |
| 100 | plumosa aurea | 3-4 ft. |
| 150 | plumosa aurea | 4-5 ft. |
| 125 | plumosa aurea | 5-6 ft. |
| 175 | plumosa aurea | 6-8 ft. |
| 100 | squarrosa | 3-4 ft. |
| 75 | squarrosa | 4-5 ft. |
| 150 | squarrosa | 5-6 ft. |
| 75 | squarrosa | 6-7 ft. |
| 1000 | THUYA, occidentalis | 3-4 ft. |
| 1000 | occidentalis | 4-5 ft. |
| 1500 | occidentalis | 5-6 ft. |
| 1200 | occidentalis | 6-8 ft. |
| 125 | occidentalis | 8-10 ft. |
| 200 | occidentalis compacta | 12-18 in. |
| 300 | occidentalis compacta | 1½-2 ft. |
| 100 | occidentalis compacta | 2-2½ ft. |
| 500 | occidentalis ellwangeriana | 2-3 ft. |
| 200 | occidentalis ellwangeriana | 3-4 ft. |
| 300 | occidentalis elegantissima | 2-3 ft. |
| 300 | occidentalis elegantissima | 3-4 ft. |
| 125 | occidentalis elegantissima | 4-5 ft. |
| 50 | occidentalis elegantissima | 5-6 ft. |
| 400 | occidentalis globosa | 12-18 in. |
| 300 | occidentalis globosa | 1½-2 ft. |
| 100 | occidentalis globosa | 2-2½ ft. |
| 75 | occidentalis globosa | 2½-3 ft. |
| 60 | occidentalis globosa | 3-4 ft. |
| 200 | occidentalis hoveyi | 12-18 in. |
| 150 | occidentalis hoveyi | 1½-2 ft. |
| 300 | occidentalis hoveyi | 2-2½ ft. |
| 450 | occidentalis hoveyi | 2½-3 ft. |
| 275 | occidentalis hoveyi | 3-4 ft. |
| 100 | occidentalis lutea | 3-4 ft. |
| 50 | occidentalis lutea | 4-5 ft. |
| 200 | occidentalis plicata | 2-3 ft. |
| 400 | occidentalis plicata | 3-4 ft. |
| 200 | occidentalis pyramidalis | 4-5 ft. |
| 200 | occidentalis pyramidalis | 5-6 ft. |
| 1000 | occidentalis umbraculifera | 1½-2 ft. |
| 250 | occidentalis Vervaeneana | 2-3 ft. |
| 150 | occidentalis Vervaeneana | 3-4 ft. |
| 50 | occidentalis Vervaeneana | 4-5 ft. |
| 200 | occidentalis Vervaeneana | 5-6 ft. |

| Quantity | Item | Size |
|------------------------|--------------------------------|-------------|
| THUYA—Continued | | |
| 200 | occidentalis Vervaeneana | 6-7 ft. |
| 100 | occidentalis wareana | 2-3 ft. |
| 75 | occidentalis wareana | 3-4 ft. |
| 150 | occidentalis wareana lutescens | 2-3 ft. |
| 100 | occidentalis wareana lutescens | 3-4 ft. |
| 100 | occidentalis woodwardi | 15-18 in. |
| 100 | occidentalis woodwardi | 1 1/2-2 ft. |
| 50 | orientalis | 5-6 ft. |
| 800 | TSUGA, canadensis | 3-4 ft. |
| 500 | canadensis | 4-5 ft. |
| 500 | canadensis | 5-6 ft. |
| 350 | canadensis | 6-7 ft. |
| 75 | canadensis | 7-8 ft. |
| 20 | canadensis | 8-10 ft. |
| 25 | carolina | 4-5 ft. |
| 25 | carolina | 5-6 ft. |
| 40 | carolina | 6-7 ft. |

EVERGREEN SHRUBS

| Quantity | Item | Size |
|----------|---------------------------------|-------------|
| 150 | ARCTOSTAPHYLOS, uva-ursi | 6-9 in. |
| 250 | uva-ursi | 9-12 in. |
| 150 | uva-ursi | 12-15 in. |
| 350 | EUONYMUS, patens | 1 1/2-2 ft. |
| 250 | patens | 2-3 ft. |
| 1800 | radicans carriere | 12-15 in. |
| 400 | radicans carriere | 15-18 in. |
| 800 | radicans carriere | 1 1/2-2 ft. |
| 2500 | radicans vegetus | 12-15 in. |
| 2000 | radicans vegetus | 15-18 in. |
| 2000 | radicans vegetus | 1 1/2-2 ft. |
| 200 | radicans vegetus | 2-2 1/2 ft. |
| 150 | ILEX, glabra | 1 1/2-2 ft. |
| 50 | opaca | 5-6 ft. |
| 400 | MAHONIA, aquifolia | 12-18 in. |
| 75 | aquifolia | 1 1/2-2 ft. |
| 50 | aquifolia | 2-3 ft. |
| 150 | aquifolia | 3-4 ft. |
| 75 | aquifolia | 4-5 ft. |

VINES

| Quantity | Item | Size |
|----------|-------------------------------|--------------|
| 100 | ACTINIDIA, arguta | 2 yr. |
| 100 | AKEBIA, quinata | 2 yr. |
| 100 | quinata | 3 yr. |
| 200 | LONICERA, sempervirens | 2 yr. |
| 400 | sempervirens | 3 yr. |
| 500 | POLYGONUM, auberti | 2 yr. medium |
| 1000 | auberti | 2 yr. No. 1 |
| 50 | WISTERIA, magnifica | 3 yr. |
| 150 | magnifica | 4 yr. |
| 100 | sinensis | 4 yr. |

ROSE SPECIES

| Quantity | Item | Size |
|----------|---------------------|-------------|
| 250 | ROSA, lucida | 1 1/2-2 ft. |
| 350 | lucida | 2-3 ft. |
| 300 | multiflora | 2-3 ft. |
| 1200 | multiflora | 3-4 ft. |

CLIMBING ROSES

| Quantity | Item | Size |
|----------|------------------------------|-------|
| 200 | CRIMSON RAMBLER | No. 1 |
| 1000 | ROSERIE | No. 1 |
| 300 | TAUSENDSCHON | No. 1 |
| 150 | VEILCHENBLAU | No. 1 |
| 500 | AVIATEUR BLERIOT | No. 1 |
| 1000 | DOROTHY PERKINS | No. 1 |
| 250 | EXCELSA | No. 1 |
| 250 | GARDENIA | No. 1 |
| 100 | HIAWATHA | No. 1 |
| 400 | PAUL'S SCARLET | No. 1 |
| 300 | WHITE DOROTHY PERKINS | 2-1 |

PERENNIALS

| Quantity | Item | Per 10 | Per 100 | Per 1000 |
|----------|--|----------------------|---------------------|----------|
| 350 | ACHILLEA, tomentosa ----- | \$ 1.00 | \$ 7.50 | \$ 60.00 |
| 700 | AETHIONEMA, persica ----- | 1.25 | 10.00 | 85.00 |
| 600 | HOLLYHOCK, Double Crimson----- | 1.00 | 8.00 | 65.00 |
| 600 | Newport Pink ----- | 1.00 | 8.00 | 65.00 |
| 700 | Double White ----- | 1.00 | 8.00 | 65.00 |
| 800 | Double Yellow ----- | 1.00 | 8.00 | 65.00 |
| 400 | Imperator ----- | 1.00 | 8.00 | 65.00 |
| 400 | ALYSSUM, rostratum ----- | 1.00 | 7.50 | 60.00 |
| 250 | CATANANCHE, coerulea ----- | 1.00 | 8.00 | 65.00 |
| 500 | CHRYSANTHEMUM, maximum | | | |
| | Mrs. C. Lothian Bell ----- | 1.00 | 7.00 | 50.00 |
| 10,000 | CHRYSANTHEMUMS, field grown clumps, in the following varieties_ | 1.00 | 7.00 | 50.00 |
| | Adironda | Golden Queen | Mrs. Henry Harrison | |
| | Alice Howell | Harvest Home | Ouray | |
| | Autumn Glow | Irene | Petite Louise | |
| | Ball of Snow | L'Argentuillais | Provence | |
| | Boston | Little Bob | Red and Gold | |
| | Captain Cook | Metzi | Skibo | |
| | Eva | Mrs. Albert Phillips | White Doty | |
| | Glory of 7 Oaks | Mrs. L. Birchard | Zelia | |
| | | Mrs. Frances Bergen | | |

| Quantity | Item | Per 10 | Per 100 | Per 1000 |
|----------|------------------------------------|---------|---------|----------|
| | CHRYSANTHEMUM | | | |
| 600 | Mrs. Calvin Coolidge ----- | \$ 1.20 | \$ 9.00 | \$ 70.00 |
| 400 | Mrs. J. W. Martin----- | 1.20 | 9.00 | 70.00 |
| 300 | Ruth Cumming ----- | 1.20 | 9.00 | 70.00 |
| 400 | Ruth Hatton ----- | 1.20 | 9.00 | 70.00 |
| 750 | DIANTHUS, barbatus Pink ----- | .90 | 6.00 | 45.00 |
| 200 | barbatus Scarlet Beauty ----- | .90 | 6.00 | 45.00 |
| 200 | Grenadin White ----- | 1.00 | 7.50 | 60.00 |
| 700 | Grenadin Pink ----- | 1.00 | 7.50 | 60.00 |
| 350 | Grenadin Red ----- | 1.00 | 7.50 | 60.00 |
| 500 | DIGITALIS, gloxinaeflora Purple--- | 1.20 | 9.00 | 70.00 |
| 200 | gloxinaeflora White ----- | 1.20 | 9.00 | 70.00 |
| 100 | FILAPENDULA, hexapetala ----- | 1.00 | 8.00 | 70.00 |
| 800 | GAILLARDIA, The Dazzler (New)_ | 1.00 | 8.00 | 70.00 |
| 1500 | Portola Hybrids (New) ----- | 1.25 | 10.00 | 75.00 |
| 700 | HELIANTHEMUM, mutabile ----- | 1.25 | 10.00 | 75.00 |
| 600 | HEMEROCALLIS, flava ----- | 1.00 | 7.00 | 55.00 |
| 1000 | minor ----- | 1.00 | 7.00 | 50.00 |
| 200 | thunbergi ----- | 1.00 | 8.00 | 65.00 |
| 200 | HYPERICUM, fragile ----- | 1.00 | 7.50 | 60.00 |
| 350 | IRIS, dichtoma ----- | 1.25 | 10.00 | 80.00 |
| 400 | Lord of June ----- | 3.50 | 30.00 | 200.00 |
| 200 | sibirica Golden ----- | 1.25 | 10.00 | 80.00 |
| 3500 | KNIPHOFIA, Perry's Hybrids----- | 1.00 | 7.00 | 50.00 |
| 400 | LIMONIUM, latifolium ----- | 1.00 | 8.00 | 65.00 |
| 350 | LUNARIA-annua, biennis----- | 1.00 | 7.50 | 60.00 |
| 600 | LYCHNIS, coronaria ----- | 1.00 | 8.00 | 60.00 |
| 400 | MATRICARIA, Golden Ball ----- | 1.00 | 8.00 | 60.00 |
| 300 | Snowball ----- | 1.00 | 8.00 | 60.00 |
| 400 | NEPETA, Mussini ----- | 1.00 | 8.00 | 65.00 |
| 200 | PARDANTHUS, chinense ----- | 1.00 | 8.00 | 60.00 |
| 300 | PHYSOSTEGIA, virginica alba----- | 1.00 | 7.00 | 50.00 |
| 500 | virginica rosea ----- | 1.00 | 7.00 | 50.00 |
| 1000 | PHLOX, Eclairer ----- | 1.25 | 10.00 | 70.00 |
| 500 | Lassburg ----- | 1.25 | 10.00 | 70.00 |
| 700 | Mrs. Milly von Hoboken ----- | 1.25 | 10.00 | 80.00 |
| 2000 | PRIMULA, Munstead Giant ----- | 1.20 | 9.00 | 70.00 |
| 1000 | veris ----- | 1.20 | 9.00 | 70.00 |
| 500 | RANUNCULUS, repens fl. pl. ----- | 1.00 | 8.00 | 60.00 |
| 200 | RUDBECKIA, laciniata ----- | 1.00 | 7.00 | 50.00 |
| 500 | SAPONARIA, ocymoides ----- | 1.00 | 8.00 | 60.00 |
| 300 | SEDUM, spectabile ----- | 1.00 | 7.00 | 50.00 |
| 200 | SEMPERVIVUM, alberti ----- | 1.00 | 7.50 | 60.00 |
| 300 | funcki ----- | 1.00 | 7.50 | 60.00 |
| 400 | globiferum ----- | 1.00 | 7.50 | 60.00 |
| 300 | tectorum ----- | 1.00 | 7.50 | 60.00 |
| 350 | SILENE, schafta ----- | 1.00 | 8.00 | 65.00 |
| 200 | THALICTRUM, adiantifolium ----- | 1.20 | 9.00 | 70.00 |
| 300 | VALERIANA, rubra ----- | 1.00 | 8.00 | 65.00 |
| 800 | VERONICA, teucrium ----- | 1.20 | 9.00 | 70.00 |
| 500 | VIOLA, cornuta lutea splendens--- | 1.00 | 8.00 | 60.00 |
| 450 | Mauve Queen ----- | 1.00 | 8.00 | 60.00 |
| 400 | Illona ----- | 1.20 | 9.00 | 75.00 |
| 500 | YUCCA, filamentosa, 3 year----- | 1.20 | 9.00 | 70.00 |

LINING-OUT STOCK

SMALL STOCK SUITABLE FOR GROWING ON.

500 of a kind at the 1000 rate

50 of a kind at the 100 rate

(C) One year, rooted hardwood cuttings.

(S) One year seedlings.

Each T. indicates one transplanting.

SHADE AND ORNAMENTAL TREES

| | | Per 100 | Per 1000 |
|------|--|---------|----------|
| 700 | ACER, tataricum. T. 6-12 in. | \$ 6.00 | \$ 50.00 |
| 5000 | saccharum. TT., 2-3 ft. | 10.00 | 80.00 |
| 3000 | saccharum. TT., 4-6 ft. | 18.00 | 140.00 |
| 3000 | saccharum. TT., 6-8 ft. | 25.00 | 200.00 |
| 3000 | BETULA, nigra. S., 1½-2 ft. | 6.00 | 50.00 |
| 150 | QUERCUS, prinus. T., 3-5 ft. | 17.50 | --- |
| 1000 | palustris. T., 2-4 ft. | 12.00 | 100.00 |
| 400 | palustris. T., 4-6 ft. | 20.00 | 175.00 |
| 800 | SALIX, auranthea aurea. New. C., 2-4 ft. | 8.00 | 60.00 |

SHRUBS

| | | Per 100 | Per 1000 |
|------|---|---------|----------|
| 3000 | ACANTHOPANAX, pentaphyllum. No. 1 Layers | \$ 3.50 | \$ 25.00 |
| 400 | AMORPHA, fruticosa. T. 12-24 in. | 6.00 | 50.00 |
| 400 | AZALEA, yodogawa. TT. 4-8 in. | 20.00 | 175.00 |
| 5000 | BUDDLEIA, alternifolia. 2¼ in. pots | 8.00 | 70.00 |
| 5000 | Ile de France. 2¼ in. pots | 8.00 | 65.00 |
| 2000 | BERBERIS, t. minor. 2¼ in. pots | 6.50 | 55.00 |
| 3000 | LIGUSTRUM, i. regelianum. 2¼ in. pots | 6.00 | 50.00 |
| 3000 | PHILADELPHUS, c aureus. 2¼ in. pots | 6.00 | 50.00 |
| 2000 | virginal. 2¼ in. pots | 6.00 | 50.00 |
| 1000 | RHUS, copallina. 1-2 ft. | 5.00 | 40.00 |
| 2000 | WEIGELA EVA RATHKE. Grafts. 2¼ in. pots | 9.00 | 75.00 |
| 3000 | rosea. 2¼ in. pots | 6.50 | 55.00 |

EVERGREENS

| | | Per 100 | Per 1000 |
|------|---|---------|----------|
| 1500 | ABIES, concolor. 2¼ in. pots | \$ 9.00 | \$ 75.00 |
| 6000 | JUNIPERIUS, pfitzeriana. 2¼ in. pots | 14.00 | 120.00 |
| 1200 | sabina. 2¼ in. pots | 14.00 | 120.00 |
| 1500 | sabina. TT. 9-12 in. | 20.00 | 175.00 |
| 900 | sabina horizontalis. TT. 9-12 in. | 20.00 | 175.00 |
| 400 | TAXUS, baccata erecta. TT. 9-12 in. | 25.00 | 225.00 |
| 600 | media hicksi. TT. 12-18 in. | 32.50 | 300.00 |
| 1100 | media hicksi. TT. 1½-2 ft. | 40.00 | 375.00 |
| 1500 | THUYA, occidentalis. 2¼ in. pots | 6.50 | 55.00 |
| 400 | occidentalis caucasica. TT. 9-12 in. | 16.00 | 140.00 |
| 500 | occidentalis ellwangeriana. TT. 10-15 in. | 16.00 | 140.00 |
| 700 | occidentalis globosa. TT. 9-12 in. | 16.00 | 140.00 |
| 400 | occidentalis plicata. TT. 9-12 in. | 18.00 | 160.00 |
| 850 | occidentalis plicata. TT. 12-15 in. | 22.50 | 200.00 |
| 4000 | orientalis. 2½ in. pots | 6.00 | 50.00 |
| 500 | TSUGA, sieboldi. 2¼ in. pots | 12.00 | 100.00 |

EVERGREEN SHRUBS

| | | Per 100 | Per 1000 |
|------|--------------------------------------|---------|----------|
| 700 | AZALEA, amoena coccinea. TT. 6-9 in. | \$25.00 | \$225.00 |
| 500 | EUONYMUS, patens. 2¼ in. pots | 8.00 | 65.00 |
| 3000 | radicans. 2¼ in. pots | 6.00 | 50.00 |
| 2000 | r. acutus. 2¼ in. pots | 6.00 | 50.00 |
| 1000 | r. argenteo-marginatus. 2¼ in. pots | 6.50 | 55.00 |
| 1000 | r. carrierei. 2¼ in. pots | 6.50 | 55.00 |
| 250 | LEUCOTHOE, catesbaei. T. 6-12 in. | 15.00 | 125.00 |

VINES

| | | Per 100 | Per 1000 |
|------|--|---------|----------|
| 5000 | AMPELOPSIS, tricuspidata. S. No. 1 | \$ 5.00 | \$ 35.00 |
| 500 | ARISTOLOCHIA, siph. Grafts. 2¼ in. pots | 15.00 | 125.00 |
| 500 | CLEMATIS, paniculata. 2¼ in. pots | 7.00 | 60.00 |
| 5000 | LONICERA, aureoreticulata. 2¼ in. pots | 5.00 | 40.00 |
| 5000 | halleana. 2¼ in. pots | 5.00 | 40.00 |
| 5000 | POLYGONUM, auberti. 2¼ in. pots | 10.00 | 85.00 |
| 700 | SCHIZOPHRAGMA, hydrangeoides. 2 in. pots | 15.00 | 125.00 |

ROSES

| | | Per 100 | Per 1000 |
|------|--|---------|----------|
| 500 | CL. AMERICAN BEAUTY. 2¼ in. pots | \$ 6.50 | \$ 55.00 |
| 500 | CRIMSON RAMBLER. 2¼ in. pots | 6.50 | 55.00 |
| 1000 | DR. VAN FLEET. 2¼ in. pots | 6.50 | 55.00 |
| 1000 | JACOTTE. 2¼ in. pots | 6.50 | 55.00 |
| 500 | MARY WALLACE. 2¼ in. pots | 6.50 | 55.00 |
| 1000 | MME. GREGOIRE STAECHELIN, 2¼ in. pots | 6.50 | 55.00 |
| 3000 | MAX GRAF. 2¼ in. pots | 7.50 | 65.00 |
| 1000 | PAUL'S SCARLET. 2¼ in. pots | 6.50 | 55.00 |
| 1000 | PRIMROSE. 2¼ in. pots | 6.50 | 55.00 |
| 1000 | SILVER MOON. 2¼ in. pots | 6.50 | 55.00 |